


Author and Subject Index Volume 34, 2003

Index of Authors

- | | | | |
|-----------------------------|------------------------------|-----------------------------|------------------------------|
| Akata, Takushiro, 23 | Fino, John J., 32, 174 | Koshino, Yoshifumi, 201 | Ricci, R., 18 |
| Albakir, Meryem, 207 | Galán, L., 1, 145 | Kubota, Fumio, 23 | Rotrosen, John, 110 |
| Als, Heidelise, 54 | Gansaeuer, M. 28 | Lau, Tim, 182 | Sánchez, L., 145 |
| Alsaadi, T.M., 28 | Geyik, Pinar Ozdemir, 207 | LaVega-Talbot, M., 197 | Santiago, E., 145 |
| Alwahabi, Fahad, 182 | Green, N., 197 | Li, J.C., 87 | Saygi, Serap, 207 |
| Aubert, E., 1, 145 | Hansen, Elsebet S., 70 | Llopis, F., 1 | Schreiner, A., 140 |
| Avila, Y., 1 | Harada, Hirofumi, 191 | Machado, C., 1 | Shea, Catherine, 182 |
| Barraza, C., 145 | Harmony, T. 145 | Manno, Barbara R., 75 | Shibata, Nobuyoshi, 23 |
| Biver, Carl J., 39 | Herrera, W., 145 | Manno, Joseph E., 75 | Shiraishi, Kimio, 191 |
| Blum, Kenneth, 124 | Hosain, S., 197 | Mariotti, P., 18 | Solomon, G., 197 |
| Bolwig, Tom G., 70 | Howard, Bryant, 110 | Mazza, Salvatore, 15, 18 | Struve, Frederick A., 75, 84 |
| Bosch, J., 145 | Hughes, John R., 13, 32, 174 | McAnulty, Gloria B., 54, 99 | Takeuchi, Kazuo, 23 |
| Bradford, Lisa, 182 | Iuvone, L., 18 | Mennuni, G.F., 18 | Thatcher, Robert W., 39 |
| Braverman, Eric R., 124 | John, E. Roy, 70, 110 | Millar, Anne, 182 | Tom MeeLee, 110 |
| Carullo, Anna, 15 | Jung, Ki-Young, 153 | Niedermeyer, E., 5, 93 | Vaccario, M. Luigia, 15 |
| Ciplet, Debra, 110 | Karatas, Hulya, 207 | North, Duane M., 39 | Valdés, P. 145 |
| Cuspineda, E., 1 | Kato, Toshihiko, 191 | O'Leary, Siobhan, 110 | Valenti, Maria A., 15 |
| Della Marca, G., 18 | Kemp, Philip, 75 | Otero, G., 145 | Vernacotola, S., 18 |
| Dericioglu, Nese, 207 | Kifune, Akira, 23 | Patrick, Gloria, 75, 84 | Waber, Deborah P., 99 |
| Diaz-Comas, L. 145 | Kikuchi, Mitsuru, 201 | Peters, Jurriaan M., 99 | Wada, Yuji, 201 |
| Di Bartolomeo, Rossella, 15 | Kikuchi, Senichiro, 23 | Pohlmann-Eden, B., 140 | Wang, W.W., 87 |
| Duffy, Frank H., 54, 99 | Kim, Dong Wook, 153 | Prichap, Leslie S., 70, 110 | Wu, X., 87 |
| Dulude, Louise, 182 | Kim, Jae-Moon, 153 | Reeves, Roy R., 84 | Wiens, Andrew, 182 |
| Fernández, T., 145 | Knott, Verner, 182 | Reid, Malcolm S., 110 | Yuuki, Naoya, 23 |
| Fernández-Bouzas, A., 145 | | Ricardo-Garcell, J., 145 | |



Author and Subject Index Volume 34, 2003

Index of Authors

- | | | | |
|-----------------------------|------------------------------|-----------------------------|------------------------------|
| Akata, Takushiro, 23 | Fino, John J., 32, 174 | Koshino, Yoshifumi, 201 | Ricci, R., 18 |
| Albakir, Meryem, 207 | Galán, L., 1, 145 | Kubota, Fumio, 23 | Rotrosen, John, 110 |
| Als, Heidelise, 54 | Gansaeuer, M. 28 | Lau, Tim, 182 | Sánchez, L., 145 |
| Alsaadi, T.M., 28 | Geyik, Pinar Ozdemir, 207 | LaVega-Talbot, M., 197 | Santiago, E., 145 |
| Alwahabi, Fahad, 182 | Green, N., 197 | Li, J.C., 87 | Saygi, Serap, 207 |
| Aubert, E., 1, 145 | Hansen, Elsebet S., 70 | Llopis, F., 1 | Schreiner, A., 140 |
| Avila, Y., 1 | Harada, Hirofumi, 191 | Machado, C., 1 | Shea, Catherine, 182 |
| Barraza, C., 145 | Harmony, T. 145 | Manno, Barbara R., 75 | Shibata, Nobuyoshi, 23 |
| Biver, Carl J., 39 | Herrera, W., 145 | Manno, Joseph E., 75 | Shiraishi, Kimio, 191 |
| Blum, Kenneth, 124 | Hosain, S., 197 | Mariotti, P., 18 | Solomon, G., 197 |
| Bolwig, Tom G., 70 | Howard, Bryant, 110 | Mazza, Salvatore, 15, 18 | Struve, Frederick A., 75, 84 |
| Bosch, J., 145 | Hughes, John R., 13, 32, 174 | McAnulty, Gloria B., 54, 99 | Takeuchi, Kazuo, 23 |
| Bradford, Lisa, 182 | Iuvone, L., 18 | Mennuni, G.F., 18 | Thatcher, Robert W., 39 |
| Braverman, Eric R., 124 | John, E. Roy, 70, 110 | Millar, Anne, 182 | Tom MeeLee, 110 |
| Carullo, Anna, 15 | Jung, Ki-Young, 153 | Niedermeyer, E., 5, 93 | Vaccario, M. Luigia, 15 |
| Ciplet, Debra, 110 | Karatas, Hulya, 207 | North, Duane M., 39 | Valdés, P. 145 |
| Cuspinada, E., 1 | Kato, Toshihiko, 191 | O'Leary, Siobhan, 110 | Valenti, Maria A., 15 |
| Della Marca, G., 18 | Kemp, Philip, 75 | Otero, G., 145 | Vernacotola, S., 18 |
| Dericioglu, Nese, 207 | Kifune, Akira, 23 | Patrick, Gloria, 75, 84 | Waber, Deborah P., 99 |
| Diaz-Comas, L. 145 | Kikuchi, Mitsuru, 201 | Peters, Jurriaan M., 99 | Wada, Yuji, 201 |
| Di Bartolomeo, Rossella, 15 | Kikuchi, Senichiro, 23 | Pohlmann-Eden, B., 140 | Wang, W.W., 87 |
| Duffy, Frank H., 54, 99 | Kim, Dong Wook, 153 | Prichap, Leslie S., 70, 110 | Wu, X., 87 |
| Dulude, Louise, 182 | Kim, Jae-Moon, 153 | Reeves, Roy R., 84 | Wiens, Andrew, 182 |
| Fernández, T., 145 | Knott, Verner, 182 | Reid, Malcolm S., 110 | Yuuki, Naoya, 23 |
| Fernández-Bouzas, A., 145 | | Ricardo-Garcell, J., 145 | |

Index of Subjects

- Addiction** and, QEEG studies of cue-induced cocaine craving, 110-123
 —See also Cocaine, Marihuana, Methamphetamine
- Age factor** and, clinical relevance of EEG interpretation, 93-98
 —focal seizures, EEG prognostic considerations, 174-181
 —infant EEG spectral coherence data during quiet sleep, 54-69
 —P300 ERP predictor of memory impairment, 124-139
 —stimulus modality and response mode effects on P300 in young and elderly adults, 182-190
- Aggressive behavior** and, EEG does not predict response to valproate treatment, 84-86
 —ERP, 171
- Alcoholism** and, clinical relevance of EEG interpretation, 93-98
- Alexithymia** and, panic disorder, 214
- Alpha activity** and, antipsychotics treatment, 214
 —effects of topiramate, 87-92
 —marihuana users, 75-83
 —neurofeedback treatment of learning disabled children, 145-152
 —OCD patients treated with paroxetine, 70-74
 —photic stimulation in never-medicated patients with schizophrenia, 201-206
- Alzheimer's disease** and, P300 ERP predictor of memory impairment, 124-139
 —See also Memory
- Anosmia** and, olfactory ERP, 191-196
- Antiepileptic drugs** and, time distribution of seizures during long term video-EEG monitoring, 207-212
 —topiramate effects, QEEG, 87-91
- Antipsychotics** and, prediction of response to treatment, 214
 —See also Lithium, Paroxetine, Valproate
- Anxiety** and, QEEG in cue-induced cocaine craving, 110-123
 —panic disorder, 214
- Apnea** and, seizures in infants, role of continuous EEG monitoring, 197-200
- Arousal** and, frontal lobe, 5-12
 —ictal pattern, frontal arousal rhythm, 13-14
 —See also Sleep
- Assessment of Premature Infants' Behavior** and, EEG spectral coherence data during quiet sleep, 54-69
- Autonomic nervous system** and, challenge, industrial solvents, 159-160
- Behavior** and, ERP in learning impaired children during a hybrid go/no-go choice reaction visual-motor task, 99-109
 —neurofeedback treatment in learning disabled children, 145-152
 —newborns, EEG spectral coherence data during quiet sleep, 54-69
 —See also Personality disorder, Psychiatric disorder
- Benign neonatal sleep myoclonus** and, follow-up of 4 members of an affected family, 15-17
- Benign rolandic epilepsy** and, interictal spike propagation across the central sulcus, 153-157
- Beta activity** and, cue-induced cocaine craving, 110-123
 —frontal lobe, 5-12
 —neurofeedback treatment of learning disabled children, 145-152
- Brain topography** and, olfactory ERP in normal subjects and patients with smell disorders, 191-196
 —See also QEEG
- Canadian Neurological Scale** and, acute stroke, comparison of prognostic value with QEEG findings, 1-4
- Central localization** and, spikes in benign rolandic epilepsy, 153-157
- Central sulcus** and, spike propagation in benign rolandic epilepsy, 153-157
- Cerebrovascular disorders** and, Canadian Neurological Scale with QEEG, 1-4
 —clinical relevance of EEG interpretation, 93-98
 —QEEG and SPECT in infarction, 165
 —QEEG and SPECT in psychiatric patients with methylphenidate, 163-164
 —value of early EEG after first unprovoked seizure, 140-144
- Children** and, benign neonatal sleep myoclonus, 15-17
 —benign rolandic epilepsy, 153-157
 —EEG spectral coherence data during quiet sleep, 54-69
 —ERP hybrid go/no-go visual-motor task, 99-109
 —frontal arousal rhythm, an ictal pattern, 13-14
 —neurofeedback treatment, 145-152
 —seizures, apneic with continuous EEG monitoring, 197-200
- Clozapine** and, prediction of response to treatment, 214
- Cocaine** and, cortical excitability, 160
 —impulsivity related to AERP, 171
 —QEEG studies of cue-induced craving, 110-123
- Cognitive performance** and, neurophysiological analysis in aging, 172
 —P300 predictor of memory impairment, 124-139
 —QEEG in methamphetamine dependent volunteers, 213
 —See also Memory
- Coma** and, transcranial magnetic stimulation, 213-214
- Connectivity** and, event-related correlations in learning impaired children during a hybrid go/no-go choice reaction visual-motor task, 99-109
- Contingent negative variation** and, electrophysiology of the frontal lobe, 5-12

- Coritsol** and, QEEG studies of cue-induced cocaine craving, 110-123
- Daubert** and, legal standards for QEEG admissibility, 39-53
- Depression** and, spikes after ECT, 23-27
—See also Psychiatric disorder
- Dipolar field** and, benign rolandic epilepsy, 153-157
- Discriminant analysis** and, infant EEG spectral coherence data during quiet sleep, 54-69
- Dissociative states** and, EEG in psychiatric patients, 164
- Electroconvulsive therapy** and, spikes in psychotic patients, 23-27, 158
- EEG interpretation** and, clinical relevance, 93-98
—complexity, approach in estimation, 162
—predictive value after first unprovoked seizures, 140-144
—prognostic considerations, focal seizures, 174-181
- Electrophysiology** and, the frontal lobe, 5-12
- Encephalopathies** and, clinical interpretation of EEGs, 93-98
- Epilepsy** and, benign neonatal sleep myoclonus, follow-up of an affected family, 15-17
—benign rolandic, central sulcus spike propagation, 153-157
—clinical relevance of EEG interpretation, 93-98
—EEG after first unprovoked seizure in adults, 140-144
—frontal arousal rhythm and ictal pattern, 13-14
—nystagmus, possible relationship to PGO spikes, 32-38
—prognostic considerations with EEG, 174-181
—QEEG effects of topiramate, 87-92
—time distribution, long term video-EEG monitoring, 207-212
—See also Seizures
- Event-related potentials** and, electrophysiology of the frontal lobe, 5-12
—learning impaired children during go/no-go visual-motor task, 99-109
—impulsive aggressive behavior, 171
—impulsivity in cocaine dependent subjects, 171
—impulsivity in gambling task, 164
—mismatched negativity in schizophrenia, 215
—normal subjects and patients with smell disorders, 191-196
—preattentive processing of abstract acoustic regularities in children, 162
—predictor of memory impairment, 124-139
—P300, psychiatric considerations, 166, 167, 171, 172
—stimulus modality and response mode in adults, 182-190
—time frequency analysis, 168, 169, 170
—See also Evoked potentials
- Evoked potentials** and, liver transplant patients, 156
—pre-stimulus EEG relationship, 161
—repetative auditory stimuli, 161-162
—See also Event-related potentials
- Expert testimony** and, QEEG and the Frye and Daubert standard of admissibility, 39-53
- Fast Fourier Transform** and, time-frequency components, 168
- Focal seizures** and, EEG prognostic consideration, 174-181
—relevance of EEG interpretation, 93-98
- Fourteen and six/second positive spikes** and, clinical relevance, 93-98, 167
- Frontal arousal rhythm (FAR)** and, an ictal pattern, 13-14
- Frontal intermittent rhythmic delta activity (FIRDA)** and, electrophysiology of the frontal lobe, 5-12
- Frontal lobe** and, asymmetry, computer interface, 163
—clinical relevance of EEG interpretation, 93-98
—cue-induced cocaine craving, 110-123
—electrophysiology, 5-12
—focal seizures, EEG prognostic considerations, 174-181
—marihuana users, 75-83
- Frye and Daubert standards** and, QEEG admissibility, 39-53
- Functional brain mapping** and, recent advances, 173
—See also QEEG
- Gamma activity** and, frontal lobe, 5-12
—controversial wave forms, rare fast, 167
- Gastroesophageal reflux** and, apneic seizures, 197-200
- Gender** and, P300 predictor of memory impairment, 124-139
- Go/no-go paradigm** and, learning impaired children, 99-109
- Hyposmia** and, olfactory ERP, 191-196
- Impulsivity** and, electrophysiological substrates, 170, 171
—ERP in a computerized gambling task, 164
—error-related negativity, 161
—See also Personality disorder
- Independent component analysis** and, separation of EEG components, 166
- Industrial solvents** and, human autonomic nervous system, 159-160
- Infants** and, apneic seizures, continuous EEG monitoring, 197-200
—EEG spectral coherence data during quiet sleep, 54-69
—See also Children
- Infection, CNS,** and, clinical relevance of EEG interpretation, 93-98
- Insomnia** and, Sanfilippo syndrome, 18-22
- Kindling phenomena** and, spikes in psychotic patients following ECT, 23-27
- Learning disabled children** and, EEG and behavioral changes following neurofeedback treatment, 145-152
—event-related correlations during a hybrid go/no-go choice reaction visual-motor task, 99-109
- Legal standards** and, QEEG, Frye and Daubert criteria, 39-53
- Lesions, cerebral,** and, clinical relevance of EEG Interpretation, 93-98
—value of EEG in first unprovoked seizure, 140-144
—See also Cerebrovascular disorders
- Lithium** and, intoxication mimicking status epilepticus, 28-31

- Marihuana** and, QEEG profile in acute and chronic heavy users, 75-83
- Medical-legal evidence** and, QEEG, American Academy of Neurology 1997 position, 39-53
- Memory** and, electrophysiology of the frontal lobe, 5-12
—P300 ERP predictor of impairment, 124-139
—See also Cognitive performance
- Methamphetamine** and, QEEG, neurocognition in dependent volunteers, 213
- Migraine** and, clinical relevance of EEG interpretation, 93-98
- Mini-mental Status Exam** and, P300 ERP predictor of memory impairment, 124-139
- Mismatch negativity** and, schizophrenia, 215
- MRI** and, apneic seizures, 197-200
- Myoclonus** and, benign neonatal sleep myoclonus follow-up of an affected family, 15-17
- National Institutes of Health** and, grant applications, 173
- Neurocognition** and, QEEG in methamphetamine dependent volunteers, 213
—See also Cognitive performance, Memory
- Neurofeedback** and, EEG and behavioral changes in learning disabled children, 145-152
- Neuroimaging** and, EEG, 93-98
—QEEG studies of cue-induced cocaine craving, 110-123
—See also QEEG
- Nystagmus** and, epilepsy, possible relationship with PGO spikes, 32-38
- Obsessive-compulsive disorder** and, QEEG in patients treated with paroxetine, 70-74
- Occipital lobe** and, beta activity in cue-induced cocaine craving, 110-123
—epileptic nystagmus, possible relationship with PGO spikes, 32-38
- Oscillatory activity** and, various frequency ranges, 168-169
- Olfactory ERP** and, normal subjects and patients with smell disorders, 191-196
- Panic disorder** and, emotional processing, 214
- Paroxetine** and, obsessive-compulsive disorder treatment, with QEEG, 70-74
- Pediatric disorders**, See Children
- Personality disorder** and, valproate treatment of aggression, 84-86
—See also Addiction, Anxiety, Panic disorder, Psychiatric disorder
- Photic stimulation** and, sequential EEG analysis in never-medicated schizophrenics, 201-206
- Poisoning, CNS**, and, clinical relevance of EEG interpretation, 93-98
—See also Addiction
- Polysomnography** and, Sanfilippo syndrome, 18-22
- Prechtl neurological examination** and, newborn infants, EEG spectral coherence data during quiet sleep, 54-69
- Prematurity** and, infant EEG spectral coherence data during quiet sleep, 54-69
—See also Children, Infants
- Primary generalized epilepsy** and, clinical relevance of EEG interpretation, 93-98
- Principal components analysis** and, infant EEG spectral coherence data during quiet sleep, 54-69
- Propagation pattern** and, benign rolandic epilepsy, 153-157
- Psychiatric disorder** and, antipsychotics treatment, 214
—disruption of executive attention, 167
—dissociative states, 164
—EEG complexity, 162
—EEG highlights, 158
—mismatch negativity, 215
—never-medicated schizophrenics, with photic stimulation, 201-206
—QEEG, 163-166
—QEEG in OCD patients treated with paroxetine, 70-74
—spikes immediately after ECT, 23-27
—status epilepticus, lithium intoxication, 28-31
- Psychomotor variant** and, clinical relevance, 93-98, 167
- P300** and, brain machine interface, 166
—cocaine dependent subjects, 171
—impulsivity in a gambling task, 164
—medical, psychiatric and developmental problems, 171-172
—mild cognitive impairment in aging, 172
—normative comparisons, 172
—predictor of memory impairment, 124-139
—schizophrenia, 167
—stimulus modality and response mode in adults, 182-190
—See also Event-related potentials
- Quantitative EEG (QEEG)** and, cue-induced cocaine craving, 110-123
—event-related correlations in learning impaired children, visual-motor task, 99-109
—EP and liver transplant, 158
—Frye and Daubert standards of legal admissibility, 39-53
—infant spectral coherence, quiet sleep, 54-69
—late onset schizophrenia, 165-166
—marihuana heavy users, acute exposure, 75-83
—neurocognition and methamphetamine, 213
—neurofeedback in learning disabled children, 145-152
—OCD patients with paroxetine, 70-74
—photic stimulation in schizophrenia, 201-206
—P300 predictor of memory impairment, 124-139
—SPECT in cerebral infarction, 165
—SPECT in clinical populations, 165
—SPECT in psychiatric patients with methylphenidate, 163-164
—SPECT in tryptophan depletion, 160
—stroke, predictive value comparison with Canadian Neurological Scale, 1-4
—topiramate effects, 87-92

- Rapid eye movements (REM)** and, epileptic nystagmus, possible relationship with PGO spikes, 32-38
—Sanfilippo Syndrome, 18-22
- Risperidone** and, antipsychotic treatment, 214
- Rolandic spikes** and, benign rolandic epilepsy, 153-157
- Sanfilippo syndrome** and, sleep disorders, polygraphic study, 18-22
- Schizophrenia** and, antipsychotic treatment, 214
—disruption of executive attention, 167
—EEG complexity, 162
—intermittent photic stimulation in never-medicated patients, 201-206
—mismatch negativity, 215
—QEEG, 165-166
—spikes immediately after ECT, 23-27
- Seizures** and, first, unprovoked, value of early EEG, 140-144
—frontal arousal rhythm, ictal pattern, 13-14
—infants with apnea, continuous EEG monitoring, 197-200
—lithium intoxication mimicking status epilepticus, 28-31
—monitoring, video-EEG, 207-212
—prognostic considerations with EEG, 174-181
—relevance of EEG interpretation, 93-98
—See also Epilepsy
- Serotonin reuptake inhibitors** and, QEEG in OCD patients treated with paroxetine, 70-74
- Sharp waves** and, apneic seizures, 197-200
—frontal arousal rhythm is an ictal pattern, 13-14
—frontal lobe, 5-12
—valproate treatment of aggressive behavior, 84-86
—See also Spikes
- Six/second spike** and wave, clinical relevance, 93-98
- Sleep** and, benign neonatal sleep myoclonus, follow-up of an affected family, 15-17
—electrophysiology of the frontal lobe, 5-12
—epileptic nystagmus, 32-38
—frontal arousal rhythm, ictal pattern, 13-14
—infant spectral coherence data, 54-69
—Sanfilippo syndrome, polygraphic study, 18-22
- Slow activity** and, apneic seizures, 197-200
—cue-induced cocaine craving, 110-123
—focal seizures, prognostic considerations, 174-181
—frontal lobe, 5-12
—neurocognition in methamphetamine dependent volunteers, 213
—neurofeedback in learning disabled children, 145-152
—topiramate effects in epileptics and healthy adults, 87-92
—valproate treatment of aggression, 84-86
—value of EEG after first unprovoked seizure, 140-144
- Small sharp spikes** and, clinical relevance, 93-98, 167
- Smell disorders** and, olfactory ERP in normal subjects and patients, 191-196
- Specific probability maps** and, learning impaired children during a hybrid go/no-go choice reaction visual-motor task, 99-109
- Spectral coherence** and, infant EEG during quiet sleep, 54-69
- Spike and wave discharges** and, apneic seizures, 197-200
- Spikes** and, apneic seizures, 197-200
—central sulcus propagation in benign rolandic epilepsy, 153-157
—clinical relevance of EEG interpretation, 93-98
—controversial patterns, 167
—ECT in psychotic patients 23-27
—focal seizures, EEG prognostic considerations, 174-181
—ponto-geniculo-occipital and epileptic nystagmus, 32-38
—value of early EEG in first unprovoked seizure, 140-144
- Status epilepticus** and, lithium intoxication, mimicking status epilepticus, 28-31
—nonconvulsive, clinical relevance of EEG interpretation, 93-98
- Stroke**, See Cerebrovascular disorders
- Stress** and, controversial paroxysmal EEG waveforms, 167
- Temporal lobe** and, clinical relevance of EEG interpretation, 93-98
—focal seizures, prognostic considerations, 174-181
—panic disorder, 214
—spikes in benign rolandic epilepsy, 153-157
—spikes immediately after ECT, 23-27
- Theta rhythm**, See Slow activity
- Time distribution** and, seizures during long term video-EEG monitoring, 207-212
- Time-frequency analysis** and, ERP, 168, 169, 170
- Topiramate**, and QEEG effects in epileptics and healthy adults, 87-92
- Transcranial magnetic stimulation** and, long term potentiation in rat hippocampus, 163
—patients in coma and vegetative state, 213-214
- Trauma, cerebral**, and, clinical relevance of EEG interpretation, 93-98
- Tumors, cerebral**, and, clinical relevance of EEG interpretation, 93-98
—EEG value after first unprovoked seizure, 140-144
- Ultra fast activity** and, the frontal lobe, 5-12
- Valproate treatment** and, aggression, in borderline antisocial personality disorders, 84-86
- Video-EEG** and, long term monitoring of seizures, 207-212
- Vigilance** and, photic stimulation in never-medicated patients with schizophrenia, 201-206
- Visual evoked potentials**, and, learning impaired children during a go/no-go choice reaction visual-motor task, 99-109
—See also Event-related potentials
- Wavelet analysis** and, ERP, 168-170
- Wechsler Memory Scale** and, P300 predictor of memory impairment, 124-139

